

SWISS 

Exceptional.
Every Time.



**SWISS PREMIUM
AMMUNITION
FOR THE BEST.**

In all situations. Without compromises.



EXCEPTIONAL. EVERY TIME.

Professionals in armed forces, law enforcement and sport rely on our premium small-calibre ammunition.

Content

About SWISS P	4
Our Brands	8
Product Features	10
Product Overview	12
Pistol and Submachine Gun Ammunition	10
Additional Short-Range Ammunition	14
Personal Defence Weapon Ammunition	15
Ammunition for Armed Forces	16
SHATTER4K anti-drone ammunition	22
Safe Combat Simulation	24
Ammunition for Every Mission	26
Precision for Tactical Excellence	27
Versatility and Precision	28
Maximum Impact at Extreme Distances	29
Extended Range with Superior Accuracy	30
Extreme Power with Ultimate Precision	31
System Solutions	32
About Beretta Defense Technologies	34
Glossary	35



PREMIUM AMMUNITION FOR PROFESSIONALS

SWISS P stands for excellence – our products are exceptional in quality, precision and performance. Our mission: We equip professionals with the best ammunition.



SWISS QUALITY. APPRECIATED WORLDWIDE.

We rely on leading ammunition technology. Every calibre, every cartridge is developed and manufactured to meet the highest quality standards.

Leading ammunition technology



Police units, armed forces, special units and marksmen worldwide need ammunition they can trust without compromises. That's why SWISS P goes beyond standard ammunition: Our premium products combine cutting-edge technology, highest precision and proven reliability.

Demanding standards for highest precision

Our sophisticated surface hardness testing procedure ensures that every component meets the demanding standards. Strict controls ensure that every part is optimally designed for highest precision.

Uncompromising reliable. Every time.

At SWISS P, highest quality is more than just a promise. It is part of every product – from development and production to service. So that professionals around the world can rely on our small-calibre ammunition – in all situations.





A ROUND FOR EVERY SCENARIO.

The best ammunition for the best: excellent in every respect and reliable in all situations.



DUTY

Reliable in all situations.

Premium ammunition for armed forces and law enforcement.

For professional use

Every mission is unique. That is why we not only offer standardized products, but also the right cartridge for every situation and every application. In addition, we are able to respond quickly and flexibly to individual customer requirements. This approach ensures that our operational and training ammunition is perfectly tailored to the specific requirements and preferences of our customers.

Reliable performance

Our cartridges are ballistically matched to each other and guarantee the same conditions for use and training. In this way, we ensure that the forces are optimally prepared for their missions through realistic training. Through continuous innovation and a deep understanding of the requirements in the field, we set new standards in terms of firepower and reliability.

Tried and tested since 1863

Since 1863, armed forces around the world have placed their trust in our ammunition. With its proven reliability, it is a decisive factor for mission success. Our customers also benefit from our unique knowledge and many years of experience, which makes us a strong and loyal partner.

SNIPER

Uncompromising precision and targeting effect.

Premium ammunition for snipers.

Highest precision

SWISS P sniper ammunition guarantees exceptional precision at extreme distances thanks to state-of-the-art technology and production. Our products are tested under a wide range of conditions at distances of up to 2000 meters. In this way, we ensure that no compromises are made even at critical moments.

Absolute performance

Developed for the best effect on target, our sniper ammunition offers superior performance under all operating conditions. It is the result of advanced research into bullet behavior in the microsecond range. Individual solutions for every deployment scenario maximize the effectiveness and safety of our customers and thus contribute to mission success.

Premium quality

Striving for the highest quality is firmly anchored in our corporate DNA and is reflected in our products. We are able to maintain the tightest tolerances in our production to ensure maximum lot-to-lot accuracy. In addition, we offer the ideal bullet for every scenario. The cartridges have an identical point of impact so that the shooter can react immediately to changing situations.

Sales brands

Some calibres and bullet types in our portfolio are manufactured in Germany, Hungary and Sweden. These high-quality products reflect the excellence of SWISS P and are distributed under three trusted brands: RWS, MFS and Norma.



RWS (Germany)

MFS (Hungary)

Norma (Sweden)




SINTOX® – The essential choice for clean and reliable primers with the best technology

The most important argument for choosing a primer is its reliability. SwissP Defence has been addressing this issue since 1928 with the invention of the most reliable and corrosion-free SINOXID primer. Standard primers, however, contain lead styphenate which shooters can get exposed to during the firing process. This may lead to hazardous overexposures.

SINTOX® is a further development of the SINOXID technology and provides the same undisputed reliability, but doesn't use any heavy metals.

- Free of toxic heavy metals like barium
- No exposure of the shooter or shooting-range personnel to pollutants
- Absolute reliability and functional stability even under most extreme conditions
- Consistent ignition of the propellant over a wide temperature range, from -54 °C to 52 °C
- Optimum shelf life, even under critical storage conditions
- Extraordinary ignition sensitivity
- Will not corrode or erode the barrel
- Successfully used for more than 20 years
- Used with several NATO-qualified cartridges




NATO specifications are clearly surpassed

For NATO it is decisive to ensure that the member states can exchange ammunition which guarantees a minimum of reliability and constancy. While high demands are imposed on the ammunition, SwissP Defence always endeavours to clearly surpass the specified quality. To achieve this, the company relies on most modern production equipment and solid know-how accumulated over many years. Thanks to the high vertical integration and a very advanced Quality Management System these products set benchmarks when it comes to:

- Ballistic performances at severely fluctuating temperatures
- Stability in storage under extreme environmental conditions
- Precision and constant point of impact from lot to lot
- Penetration capacity
- Barrel strain
- Effect in soft targets in conformity with the laws of war

BEYOND STANDARDS. BUILT FOR EXCELLENCE.

At SWISS P, we don't just meet NATO standards – we exceed them. With cutting-edge technology and decades of expertise, we set new benchmarks in reliability, precision and durability.







Duty product overview (Page 14–21)

For the needs of armed forces and law enforcement

FMJ		Training cartridge, specially suitable for outdoor shooting ranges
FMJ SX		FMJ cartridge for training and service especially suitable for indoor shooting ranges
NATO FMJ		FMJ cartridge according to NATO requirements
Frangible SX		Non-toxic cartridge for tactical training with reduced risk of ricochets
HP SX		Deformation cartridge with good terminal performance on soft targets
Styx Action		High-performance round for excellent stopping power due to immediate energy transfer
HC (SS109)		Steel core infantry round with a superior penetration power
AP TC		High-performance tungsten carbide core infantry round for maximum penetration
Tracer		Tracer with delayed ignition
Blank		Brass blank cartridge for safe simulation

Sniper product overview (Page 22–27)

A round for any situation

Ball				the classic FMJ, designed for military use
Target				for match, training or operations
Styx Action				deformation bullet for stopping power on soft targets
Final SR				fragmentation bullet for transfer of maximum Energy
Armour Piercing				for hard targets
Armour Piercing Incendiary				hit, mark and penetrate
Tactical				for targets behind glass/intermittent barriers
Subsonic				for suppressed shooting
Subsonic Final				to avoid over-penetration

Swiss quality. Appreciated worldwide.

Manufactured in Switzerland, under strict quality controls and with the highest precision. Every calibre, every cartridge is developed and manufactured to meet the highest standards of performance and reliability. SWISS P combines advanced technology with Swiss craftsmanship – ammunition that professionals around the world rely on.

Pistol and Submachine Gun Ammunition



9×19 Deformation Ammunition

Conventional full metal jacket bullets cannot optimally meet the requirements of today's service ammunition for Law Enforcement. Low energy transfer in the target medium means that they over-penetrate soft targets much too easily and thus endanger close bystanders. The increasing magnitude of violence in urban areas calls for ammunition which is able to stop offenders with effectiveness to ward off the danger and minimize the risk of unwanted consequences.

	Weight	Description	Bullet type	Average velocity	Term of reference	Brand	Primer	Lead free
ACTION 4 SXF	6.1 g / 94 gr	Deformation cartridge with good performance on soft and hard targets, as well as glass and tyres	SHP	420 m/s *	TR	RWS	SINTOX	LEAD FREE
ACTION 5 SXF	6.1 g / 94 gr	Deformation cartridge with high terminal performance on soft targets	SHP	420 m/s *	TR	RWS	SINTOX	LEAD FREE
ACTION 6 SXF	6.1 g / 94 gr	Deformation cartridge tested according CIP standard for soft and hard targets as well as glass and tyres	SHP	420 m/s **	C.I.P.	RWS	SINTOX	LEAD FREE
ACTION SE SXF	7.0 g / 108 gr	Deformation cartridge with good performance on soft and hard targets	SHP	420 m/s *	TR	RWS	SINTOX	LEAD FREE
HP SX	8.0 g / 124 gr	Deformation cartridge with good terminal performance on soft targets	JHP	360 m/s **	C.I.P.	SWISS P DUTY	SINTOX	

* 100 mm barrel / ** 150 mm barrel

Brands

SWISS P DUTY MFS RWS

9×19 Training and Service

The full metal jacketed bullets of SWISS P work reliably in all common pistol types and comply with the specifications of C.I.P. or NATO. They are perfectly suitable for both training and service.

	Weight	Description	Bullet type	Average velocity	Term of reference	Brand	Primer	Lead free
FMJ	8.0 g / 124 gr	Training cartridge, specially suitable for outdoor shooting ranges	FMJ	365 m/s **	C.I.P.	SWISS P DUTY	SINTOX	
FMJ SX	8.0 g / 124 gr	FMJ cartridge for training and service, especially suitable for indoor shooting ranges	TFMJ	365 m/s **	C.I.P.	SWISS P DUTY	SINTOX	
FMJ	7.5 g / 115 gr	FMJ cartridge for training and service, especially suitable for indoor shooting ranges	FMJ	380 m/s **	C.I.P.	SWISS P DUTY	SINTOX	
ACTION Training SX	6.1 g / 94 gr	Completely lead free Cartridge with cooper bullet for the use in indoor shooting ranges	TR	405 m/s *	TR	RWS	SINTOX	LEAD FREE
NATO FMJ	8.0 g / 124 gr	FMJ cartridge according to NATO requirements	FMJ	380 m/s ***	M-CMOPI	SWISS P DUTY	SINTOX	
NATO FMJ SX	8.0 g / 124 gr	Pollution-reduced FMJ cartridge according to NATO requirements	TFMJ	380 m/s ***	M-CMOPI	SWISS P DUTY	SINTOX	
FMJ Tombac	8.0 g / 124 gr	FMJ cartridge for training and service, especially suitable for outdoor shooting ranges	FMJ	365 m/s**	C.I.P.	SWISS P DUTY	SINTOX	
FMJ Tombac SX	8.0 g / 124 gr	FMJ cartridge for training and service, especially suitable for indoor shooting ranges	FMJ	365 m/s**	C.I.P.	SWISS P DUTY	SINTOX	

* 100 mm barrel / ** 150 mm barrel / *** 200 mm barrel

9×19 Special Application

Apart from deformation-type and full metal jacketed bullets, various cartridges are available for special application purposes, e.g. with increased penetration capacity, with visible trajectory or subsonic ammunition.

	Weight	Description	Bullet type	Average velocity	Term of reference	Brand	Primer	Lead free
Tracer	7.6 g / 118 gr	Tracer cartridge (red)	Tracer	420 m/s ***	M-CMOPI	RWS	SINTOX	
Subsonic FMJFP	10.0 g / 154 gr	Subsonic cartridge with FMJ bullet	FMJFP	290 m/s ***	M-CMOPI	MFS	SINTOX	
Subsonic HP SX	9.5 g / 147 gr	Subsonic cartridge with HP bullet	JHP	310 m/s **	C.I.P.	MFS	SINTOX	
Frangible SX	6.4 g / 98 gr	Non-toxic cartridge for tactical training with reduced risk of ricochets	Frangible	380 m/s ***	M-CMOPI	SWISS P DUTY	SINTOX	LEAD FREE

* 100 mm barrel / ** 150 mm barrel / *** 200 mm barrel

Additional Short-Range Ammunition



12-Gauge

	Weight	Description	Bullet type	Brand	Primer
12/70 Magnum ENTRY I	32.5 g / 502 gr	The ENTRY I is a special round designed to destroy door locks and hinges at close range. There are no ricochets or backsplashes	PZP		
12/70 Magnum ENTRY II	27.0 g / 417 gr	The ENTRY II is qualified for destroy targets up to 30 m with the same performance like the ENTRY I	PZPS		
12/70 AD-LER	34.0 g / 525 gr	AD-LER is the ultimate solution for drone defense, where precision and range are essential.	-		

Brands

- SWISS P DUTY
- MFS
- RWS
- Norma

Personal Defence Weapon Ammunition



4.6×30

The calibre 4.6 × 30 has been tailored to meet unique requirements of Police and Military Special Forces, combat-support soldiers and close personal protection. The system is light and compact enough to be carried on the body permanently, but also sufficiently accurate and powerful to enable effective action against unprotected and protected targets at an extended distance.

	Weight	Description	Bullet type	Average velocity	Term of reference	Brand	Primer	Lead free
FMJ SX	2.6 g / 40 gr	Duty ammunition for Army and Law Enforcement with good energy transfer in soft targets and an exceptionally good precision up to 200 m	FMJ	620 m/s *	C.I.P.			
ACTION SX	2.0 g / 31 gr	The deformation bullet offers fast energy deposit in soft targets and a good penetration capability in hard and combined targets	SHP	690 m/s *	C.I.P.			
AP SX	2.0 g / 31 gr	This lead free cartridge offers an exceptional penetration capability. The bullet penetrates the NATO CRISAT target from distances up to 200 m	Solid	680 m/s *	M-CMOPI			
Subsonic SX	5.0 g / 77 gr	The bullet is made from Tungsten-Carbide and polymer, is completely lead-free, and has no jacket	Solid	290 m/s *	C.I.P.			
Training SX	1.7 g / 26 gr	The Training SX with lead free semi-jacketed tin bullet is "non-destructive" to steel targets. It can even be used as service ammunition in sensitive areas	JSC	660 m/s *	C.I.P.			
Frangible SJ SX	1.7 g / 26 gr	The Frangible SX is particularly suitable for tactical CQB/MOUT training, as the teams can train safely and effectively with maximum realism	SJ Frangible	700 m/s *	C.I.P.			

* 180 mm barrel

Ammunition for Armed Forces



5.56×45

This ammunition for assault rifles and light machine guns provides an above-average hit accuracy and reliability. Its performance in action has been confirmed by numerous Armed Forces. SwissP Defence's long experience in the production of top-quality Swiss ordnance ammunition plays a fundamental role in the development of all products.

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer
FMJ (M193)	3.6 g / 55 gr	Proven and widely used infantry round	FMJ	0.347	983 m/s *	M-CMOPI		
FMJ SX (M193)	3.6 g / 55 gr	Proven and widely used infantry round	TFMJ	0.347	983 m/s *	M-CMOPI		
FMJ HA	4.1 g / 63 gr	High-quality infantry round with a steel jacket and rear cover	TFMJ	0.345	900 m/s *	M-CMOPI		
Styx Action	4.5 g / 69 gr	High-performance round for excellent stopping power due to instantaneous energy deposition on soft targets	HPBT	0.314	870 m/s *	M-CMOPI		
HC (SS109)	4.0 g / 62 gr	Steel core infantry round with a superior penetration power	HC	0.310	935 m/s *	M-CMOPI		
HC EP (SS109)	4.0 g / 62 gr	Steel core round for military application with superior performance and reliable function, stable ballistics, and more penetration power	HC	0.383	935 m/s *	M-CMOPI		
AP TC	4.1 g / 63 gr	High-performance tungsten carbide core infantry round for maximum penetrating power	AP	0.342	900 m/s *	M-CMOPI		
NATO Tracer	4.1 g / 63 gr	Tracer (red) with delayed ignition	Tracer	0.367	890 m/s *	M-CMOPI		

* 510 mm barrel

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer
IR Tracer	4.1 g / 63 gr	IR Tracer (purple) with delayed ignition	IR Tracer	-	890 m/s *	M-CMOPI		
SHATTER 4K	2.9 g / 45 gr	Specialized anti-drone round with fragmenting bullet for maximum effect on light targets and high hit probability	SHATTER4K	-	960 m/s	M-CMOPI		

* 510 mm barrel

5.56×45 Lead free

In the development of lead free ammunition the challenge is to substitute the lead without reducing the performance or to even increase it if possible. Also decisive for a good, reliable and powerful ammunition without lead are the harmful substances which are emitted on firing and can form deposits in the barrel and weapon system. One prerequisite, therefore, is that the propellant and the ignition charge are also optimally matched to the bullet.

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer	Lead free
LF Styx Action	3.7 g / 57 gr	Lead free round for excellent stopping power due to instantaneous energy deposition on soft targets	SHP	-	920 m/s *	M-CMOPI			
Frangible SJ SX	4.0 g / 62 gr	The frangible bullet is made from sintered copper, is completely lead-free and fully recyclable	SJ Frangible	0.200	795 m/s *	M-CMOPI			
Frangible SX	2.9 g / 45 gr	The bullet is made from copper and polymer by injection moulding. The shooting distance can be reduced without risking being hit by backsplashes or ricochets.	Frangible	0.097	975 m/s *	M-CMOPI			

* 510 mm barrel

6.5 Grendel

The 6.5 Grendel FMJ is a premium, military-grade cartridge engineered to meet the rigorous demands of modern special operations forces. While designed for elite units, its superior ballistics also make it an outstanding choice for standard infantry formations. This ammunition guarantees surgical precision and optimized ballistic performance at operational ranges of up to 800 meters. By striking the perfect balance between 5.56 mm and 7.62 mm NATO rounds, it serves as the definitive solution for maximizing the potential of lightweight AR-15 platforms.

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer	Lead free
FMJ	7.8 g / 120 gr	Highly accurate full metal jacket round for military training and duty	FMJ	-	800 m/s *	M-CMOPI			

* 600mm barrel

Brands

- SWISS P DUTY
- MFS
- RWS

Ammunition for Armed Forces

7.62×35/.300 BLK

By definition the calibre .300 BLK is particularly well suited for subsonic shooting. The optimized propellant chamber provides a constant pressure development which ensures the highest first-shot hit probability.

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer
HV Ball SX 	9.5 g / 146 gr	Highly accurate full metal jacket round for military training and duty	TFMJ	0.427	580 m/s **	C.I.P.		
HV Styx Action SX 	8.4 g / 130 gr	High-performance round for excellent stopping power due to instantaneous energy deposition on soft targets	JHP	0.241	645 m/s **	C.I.P.		
HV LF Styx Action SX 	7.0 g / 108 gr	Lead free round for excellent stopping power due to instantaneous energy deposition on soft targets	SHP	0.247	745 m/s **	C.I.P.		
Subsonic SX 	14.3 g / 220 gr	Subsonic round with an excellent first-hit probability and very consistent ballistic values	HPBT	0.417	320 m/s *	C.I.P.		
HV Frangible SJ SX 	7.0 g / 108 gr	The frangible bullet is made from sintered copper, is completely lead-free and fully recyclable	SJ Frangible	0.240	645 m/s **	C.I.P.		

* 229 mm barrel / ** 600 mm barrel

7.62×39

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer	Lead free
FM BT (M43) 	8.0 g / 124 gr	Waterproof infantry round FMJ	FMJ	-	740 m/s	C.I.P.			

7.62×51

The NATO calibre 7.62 × 51 is used more frequently again and enables effective operative ranges of more than half a kilometre thanks to the excellent precision and penetration capacity of SWISS P ammunition. The product spectrum includes versatile solutions for machine gun shooters and designated marksmen. Most advanced production processes and quality control down to the last detail guarantee reliability under extreme conditions.

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer
FMJ (M80) 	9.5 g / 146 gr	High-quality infantry round for use in extreme conditions	FMJ	0.359	838 m/s *	M-CMOPI		
Tracer (M62) 	9.2 g / 141 gr	Tracer (red) with delayed ignition for better concealment	Tracer	-	795 m/s *	M-CMOPI		
IR Tracer 	9.2 g / 141 gr	IR Tracer (purple) with delayed ignition for better concealment	IR Tracer	-	795 m/s *	M-CMOPI		
HC 	10.2 g / 157 gr	Cartridge for enhanced penetration power on armoured targets	HC	-	821 m/s *	M-CMOPI		
SHATTER 4K 	8.4 g / 130 gr	Specialized anti-drone round with fragmenting bullet for maximum effect on light targets and high hit probability.	SHATTER4K	-	686 m/s	M-CMOPI		

* 562 mm barrel

12.7×99

The well-proven NATO calibre 12.7 × 99 for heavy machine guns as well as sniper rifles enables operative ranges which clearly exceed those achieved with conventional rifle calibres. SWISS P ammunition is characterized by its outstanding precision and reliability under extreme conditions. Moreover, the entirely lead free cartridges are equipped with low-pollution SINTOX® ignition elements.

	Weight	Description	Bullet type	BC G1	Average velocity	Term of reference	Brand	Primer	Lead free
SR Solid SX 	45.2 g / 698 gr	Training round for a significant reduced danger zone	SRS	0.387	880 m/s*	M-CMOPI			
SR Solid Tracer SX 	45.8 g / 707 gr	Training round for a significant reduced danger zone with red trace	SRS Tracer	-	870 m/s *	M-CMOPI			

* 1143 mm barrel

Brands



SHATTER4K ANTI-DRONE AMMUNITION



A drone killer for every soldier

Low-cost small drones dominate the modern battlefield. The counter-measures available are often ineffective, outdated or too expensive. That is why SWISS P has developed an extremely effective solution for assault rifles and machine guns: SHATTER4K anti-drone ammunition.

Features

- Compatible with standard service rifles and machine guns without any modification to the weapons system
- Standard-size cartridge with four effectors
- Optimized fragmentation against aerial targets

Benefits

- No weapon change required
- Significantly increased hit probability per shot
- Effective against drones NATO UAS Class I (micro and mini)
- Bullet designed to reduce barrel wear



Safe Combat Simulation



Blank

In training on the machine gun and assault rifle, numerous Armed Forces have been relying for years on the combat simulation with blank cartridges as an important part of a soldier's basic training. While blank cartridges of plastic convince above all by their low weight, the ones of brass stand up particularly well to strains.

	Description	Brand	Primer	Lead free
9 × 19 Plastic Blank SX	 Blank cartridge with plastic tip for safe simulation			
4.6 × 30 Blank SX	 Brass Blank cartridge for safe simulation			
5.56 × 45 Blank	 Brass Blank cartridge for safe simulation			
7.62 × 51 Blank SX	 Brass Blank cartridge for safe simulation			
7.62 × 39 Blank	 Brass Blank cartridge for safe simulation			
.338 Lapua Mag. Blank	 Brass Blank cartridge for safe simulation			

Brands

-  SWISS P DUTY
-  MFS
-  RWS



Ammunition for Every Mission

.223 Rem.

Most varied danger situations require very different means. SWISS P offers a wide range of special cartridges which stand out by their excellent precision and highest first-hit probability. The different bullets guarantee an outstanding effect on hard and soft targets. The perfectly coordinated ballistics of the SWISS P cartridges permit the shooter to change between bullet types while maintaining the aiming point.

		Weight	Description	Bullet type	BC G1	Muzzle velocity	Term of reference	Brand	Primer
Ball		3.6 g / 55 gr	Highly accurate full metal jacket round for military training and duty	TFMJ	0.337	1010 m/s *	C.I.P.	SWISS P SNIPER	SINOXID
Ball		4.1 g / 63 gr	Highly accurate full metal jacket round for military training and duty	FMJ	0.345	930 m/s *	C.I.P.	SWISS P SNIPER	SINOXID
Ball SX		4.1 g / 63 gr	Highly accurate full metal jacket round for military training and duty	TFMJ	0.345	930 m/s *	C.I.P.	SWISS P SNIPER	SINTOX
Target		4.5 g / 69 gr	Round for very best accuracy in training and competition	HPBT	0.354	895 m/s *	C.I.P.	SWISS P SNIPER	SINOXID
Target SX		4.5 g / 69 gr	Round for very best accuracy in training and competition	HPBT	0.354	895 m/s *	C.I.P.	SWISS P SNIPER	SINTOX
Styx Action		4.5 g / 69 gr	High-performance round for excellent stopping power due to instantaneous energy deposition on soft targets	JHP	0.316	895 m/s * 860 m/s **	C.I.P. M-CMOPI	SWISS P SNIPER	SINOXID
Styx Action SX		4.5 g / 69 gr	High-performance round for excellent stopping power due to instantaneous energy deposition on soft targets	JHP	0.316	895 m/s * 860 m/s **	C.I.P. M-CMOPI	SWISS P SNIPER	SINTOX
Bonded Styx Action		3.6 g / 55 gr	Bonded bullet provides maximum weight retention and high stopping power due rapid expansion	BSP	0.171	1 000 m/s *	C.I.P.	SWISS P SNIPER	SINOXID
Final SR		3.4 g / 52 gr	Highly accurate fragmentation bullet for a minimized risk of over-penetration and enhanced safety for bystanders due to total bullet disintegration	JHP	0.182	1040 m/s *	C.I.P.	MFS	SINOXID
Armour Piercing		4.1 g / 63 gr	High-performance round for maximum penetration power on hard targets	AP	0.363	875 m/s ***	Swiss Army	SWISS P SNIPER	SINOXID

* 600 mm barrel / ** 508 mm barrel / *** 500 mm barrel

Brands



Precision for Tactical Excellence

6.5 Creedmoor

The 6.5 Creedmoor calibre has earned a strong reputation among marksmen and tactical operators for its exceptional accuracy and versatility. Designed for medium to long range engagements, it combines low recoil with high ballistic efficiency, making it an excellent choice for both military and law enforcement applications. SWISS P offers specialised cartridges in 6.5 Creedmoor, each designed for superior performance in demanding scenarios.

		Weight	Description	Bullet type	BC G1	Muzzle velocity	Term of reference	Brand	Primer
Target SX		8.4 g / 130 gr	Round for very best accuracy in training and competition	HPBT	0.622	875 m/s *	C.I.P.	SWISS P SNIPER	SINOXID
Target		9.3 g / 143 gr	Round for very best accuracy in training and competition	HPBT	-	-	C.I.P.	SWISS P SNIPER	SINTOX

* 600 mm barrel / ** 508 mm barrel / *** 500 mm barrel



Versatility and Precision

.308 Win.

The calibre .308 Win. is extremely widespread among authority and military forces. In no other calibre has SWISS P such a varied product spectrum for snipers, security shooters and designated marksmen. The right tool exists for each highly special intervention. A particularly positive aspect is the interchangeability of different cartridges without need to adjust the optics, but a constant point of impact. This is referred to as coordinated ballistics enabling an enormous flexibility in action.

		Weight	Description	Bullet type	BC G1	Muzzle velocity	Term of reference	Brand	Primer
Ball		11.4 g / 176 gr	Highly accurate full metal jacket round for military training and duty	FMJ	0.523	790 m/s *	C.I.P.		
Target		10.9 g / 168 gr	Round for very best accuracy in training and competition	HPBT	0.489	805 m/s *	C.I.P.		
		11.3 g / 175 gr	Target round for an enhanced operation distance	HPBT	0.547	790 m/s *	C.I.P.		
Styx Action		10.8 g / 167 gr	High-performance round for excellent stopping power due to instantaneous energy deposition on soft targets	JHP	0.363	810 m/s *	C.I.P.		
Final SR		8.4 g / 130 gr	Highly accurate fragmentation bullet for a minimized risk of over-penetration and enhanced safety for bystanders due to total bullet disintegration	JHP	0.240	895 m/s *	C.I.P.		
Armour Piercing		12.7 g / 196 gr	High-performance round for maximum penetration power on hard targets	AP	0.652	790 m/s *	C.I.P.		
Tactical		10.6 g / 163 gr	High-performance round for excellent first-hit probability and terminal effect behind angled glass	SFNBT	0.303	820 m/s *	C.I.P.		
Subsonic		13.0 g / 200 gr	Highly accurate round for silent operations in urban terrain	HPBT	0.364	315 m/s **	C.I.P.		
Subsonic Final		13.0 g / 200 gr	Highly accurate fragmentation round for silent operations in urban terrain	JPP	0.159	310 m/s **	C.I.P.		

* 650 mm barrel / ** 450 mm barrel

Brands



Maximum Impact at Extreme Distances

.338 Lapua Mag.

The calibre .338 Lapua Mag. is very popular with long-distance shooters and widely used especially in the military sector. The relatively compact and handy weapon system enables effective operative ranges of more than one and a half kilometres under optimal conditions. The bullet remains stable over a long distance in the supersonic range and brings accordingly much energy precisely into the target. To be able to avert particular danger situations SWISS P offers various special bullets which are closely matched to each other. Be it for the penetration of light armour, precision shots through glass panels or a minimized danger for the background, the shooters can choose from well thought-out and extensively proven solutions within the framework of the SWISS P line.

		Weight	Description	Bullet type	BC G1	Muzzle velocity	Term of reference	Brand	Primer
Ball		16.3 g / 251 gr	Highly accurate full metal jacket round for military training and duty	FMJ	0.657	855 m/s *	C.I.P.		
Target		16.2 g / 250 gr	Round for very best accuracy in training and competition	HPBT	0.684	865 m/s *	C.I.P.		
		19.4 g / 300 gr	Target round optimized for long-range shooting	HPBT	0.831	810 m/s *	C.I.P.		
Styx Action		16.0 g / 247 gr	High-performance round for excellent stopping power due to instantaneous energy deposition on soft targets	JHP	0.433	875 m/s *	C.I.P.		
Armour Piercing		16.8 g / 260 gr	High-performance round for maximum penetration power on hard targets	AP	0.677	847 m/s *	C.I.P.		
Armour Piercing Incendiary		17.1 g / 263 gr	The tungsten carbide core provides maximum penetration power, while the titanium tip provides incendiary marking	API	0.679	847 m/s *	C.I.P.		
Tactical		16.2 g / 250 gr	High-performance round for excellent first-hit probability and terminal effect behind angled glass	SFNBT	0.375	860 m/s *	C.I.P.		
Subsonic		16.2 g / 250 gr	Cartridge load very close to the sound barrier, but without risking a supersonic bang	HPBT	0.678	315 m/s *	C.I.P.		

* 650 mm barrel

Extended Range with Superior Accuracy

.375 SWISS P

The new .375 SWISS P long-distance ammunition has been especially developed for the requirements of operational precision shooters. The new calibre is suitable for highly demanding situations and markedly increases the operational spectrum of the proven .338 weapons system. .375 SWISS P calibre projectile types can reach distances of up to 1,600 m supersonic, which equates to an increase in operational range of more than 25 percent when compared to the .338 LM (250 gr). This helps you to extend the time window for infiltration and exfiltration, and with it, increase your own protection.

		Weight	Description	Bullet type	BC G1	Muzzle velocity	Term of reference	Brand	Primer
Ball		22.7 g / 350 gr	Highly accurate full metal jacket round for military training and duty	FMJ	0.801	860 m/s *	C.I.P.		
AP		22.3 g / 343 gr	High-performance round for maximum penetration power on hard targets	AP	-	-	C.I.P.		

* 762 mm barrel


.375 SWISS P – Your tactical advantage

The new .375 SWISS P allows discerning professionals and forwardthinking organisations to build a firm foundation for mission success:

- Cost-efficient upgrade for .338 weapons systems
- Expanded operational spectrum (up to 1,600m supersonic flight)
- Increased projectile weight maximises precision and provides reliable, consistent shooting performance
- Significantly greater target energy and increased penetration power when compared to .338
- The new weapon system: more capable than .338 and lighter than .50

With the new calibre, professionals and appropriate organisations are perfectly equipped for the widest variety of missions. The cost-effective weapons system guarantees absolute functionality and performance reliability – even under extreme conditions. During operations, both mobility and personal protection are increased, along with the window of opportunity for infiltration and exfiltration.

Brands



Extreme Power with Ultimate Precision

.50 Browning

The well-proven NATO calibre 12.7 × 99 for heavy machine guns as well as sniper rifles enables operative ranges which clearly exceed those achieved with conventional rifle calibres. SWISS P ammunition is characterized by its outstanding precision and reliability under extreme conditions. Moreover, the entirely lead free cartridges are equipped with low-pollution SINTOX® ignition elements.

		Weight	Description	Bullet type	BC G1	Muzzle velocity	Term of reference	Brand	Primer	Lead free
Training SX		41.7 g / 644 gr	Target-friendly soft core round with good precision and suitable for training purposes	JSC	0.698	890 m/s *	M-CMOPI			
HC SX		47.5 g / 748 gr	Hard-core round with excellent penetrating power and precision	JHC	0.779	880 m/s *	M-CMOPI			
AP SX		43.5 g / 671 gr	High-performance round for maximum penetration power on hard targets	AP	-	915 m/s *	M-CMOPI			
API SX		44.5 g / 687 gr	The tungsten carbide core provides maximum penetration power, while the titanium tip provides incendiary marking	API	0.754	915 m/s *	M-CMOPI			

* 1143 mm barrel

Product Overview

Calibre	Name	Bullet		Primer	Term of reference	Average velocity		Energy	Barrel Length	BC G1
		Type	Weight			m/s	fps			

SWISS P DUTY

9×19	FMJ	FMJ	8.0	124	SINOXID	C.I.P.	365	1198	533	150	–
	FMJ SX	TFMJ	8.0	124	SINTOX	C.I.P.	365	1198	533	150	–
	NATO FMJ	FMJ	8.0	124	SINOXID	M-CMOPI	380	1247	578	200	–
	NATO FMJ SX	TFMJ	8.0	124	SINTOX	M-CMOPI	380	1247	578	200	–
	FMJ	FMJ	7.5	115	SINOXID	C.I.P.	380	1247	542	150	–
	FMJ Tombac	FMJ	8.0	124	SINOXID	C.I.P.	365	1198	533	150	–
	FMJ Tombac SX	TFMJ	8.0	124	SINTOX	C.I.P.	365	1198	533	150	–
	ACTION 4	SHP	6.1	94	SINTOX Forensis	TR	420	1378	538	100	–
	ACTION 5	SHP	6.1	94	SINTOX Forensis	TR	420	1378	540	100	–
	ACTION 6	SHP	6.1	94	SINTOX Forensis	C.I.P.	420	1378	538	150	–
	ACTION SE	SHP	7.0	108	SINTOX Forensis	TR	420	1378	538	100	–
	ACTION Training	TR	6.1	94	SINTOX	TR	405	1329	–	100	–
	Tracer	Tracer	7.6	118	SINOXID	–	420	1378	670	200	–
	HP SX	JHP	8.0	124	SINTOX	C.I.P.	360	1181	518	150	–
	Subsonic FMJ-FP	FMJFP	10.0	154	SINOXID	C.I.P.	290	951	421	150	–
Subsonic HP SX	JHP	9.5	147	SINTOX	C.I.P.	310	1017	456	150	–	
Frangible SX	Frangible	6.4	98	SINTOX	M-CMOPI	380	1247	462	200	–	
Plastic Blank	–	–	–	SINOXID	–	–	–	–	–	–	

12–70 Magnum	Entry 1	PZP	32.5	502	SINOXID	C.I.P.	–	–	–	–	–
	Entry 2	PZPS	27.0	417	SINOXID	C.I.P.	–	–	–	–	–

12–70	AD-LER	Tungsten	34	525	–	–	405	1320	–	–	–
-------	--------	----------	----	-----	---	---	-----	------	---	---	---

4.6×30	FMJ SX	FMJ	2.6	40	SINTOX	C.I.P.	620	2034	500	180	–
	Action SX	SHP	2.0	31	SINTOX	C.I.P.	690	2264	475	180	–
	AP SX	Solid	2.0	31	SINTOX	M-CMOPI	680	2231	530	180	–
	Training SX	JSC	1.7	26	SINTOX	C.I.P.	660	2165	370	180	–
	Subsonic SX	Solid	5.0	77	SINTOX	C.I.P.	290	951	210	180	–
	Frangible SJ SX	Frangible	1.7	26	SINTOX	C.I.P.	700	2297	365	180	–
Blank SX	–	–	–	SINTOX	–	–	–	–	–	–	

5.56×45	FMJ (M193)	FMJ	3.6	55	SINTOX	M-CMOPI	983	3225	1739	510	0.347
	FMJ SX (M193)	TFMJ	3.6	55	SINTOX	M-CMOPI	983	3225	1739	510	0.347
	FMJ (M193) linked	TFMJ	3.6	55	SINTOX	M-CMOPI	983	3225	1739	510	0.28
	FMJ HA	TFMJ	4.1	63	SINOXID	M-CMOPI	900	2953	1661	510	0.345
	Styx Action	HPBT	4.5	69	SINOXID	M-CMOPI	870	2854	1703	510	0.314
	HC (SS109)	HC	4.0	62	SINOXID	M-CMOPI	935	3068	1748	510	0.31
	HC (SS109) linked	HC	4.0	62	SINOXID	M-CMOPI	945	3100	1785	510	0.31
	HC EP (SS109)	HC	4.0	62	SINOXID	M-CMOPI	935	3068	1748	510	0.383
	AP TC	AP	4.1	63	SINOXID	M-CMOPI	900	2953	1661	510	0.342
	LF Styx Action	SHP	3.7	57	SINTOX	M-CMOPI	920	3018	1566	510	–
	IR Tracer	IR Tracer	4.1	63	SINOXID	M-CMOPI	890	2920	1624	510	–
	Tracer NATO	Tracer	4.1	63	SINOXID	M-CMOPI	890	2920	1624	510	–
	Frangible SJ SX	Frangible	4.0	62	SINTOX	M-CMOPI	795	2608	1264	510	–
	Frangible SX	Frangible	2.9	45	SINTOX	M-CMOPI	975	3199	1378	510	–
	SHATTER4K	SHATTER4K	2.9	45	SINOXID	M-CMOPI	960	3150	–	–	–
Blank	–	–	–	SINOXID	–	–	–	–	–	–	

6.5 Grendel	FMJ	FMJ	7.8	120	SINOXID	M-CMOPI	800	2625	2496	600	–
-------------	-----	-----	-----	-----	---------	---------	-----	------	------	-----	---

7.62×39	FMJ (M43)	FMJ	8.0	124	SINOXID	C.I.P.	740	2428	2190	600	0.365
---------	-----------	-----	-----	-----	---------	--------	-----	------	------	-----	-------

Calibre	Name	Bullet		Primer	Term of reference	Average velocity		Energy	Barrel Length	BC G1
		Type	Weight			m/s	fps			

7.62×51	FMJ (M80) / linked	FMJ	9.5	146	SINOXID	M-CMOPI	838	2749	3336	562	0.359
	HC	HC	10.2	157	SINOXID	M-CMOPI	821	2694	3438	562	0.438
	Tracer (M62) / linked	Tracer	9.2	141	SINOXID	M-CMOPI	795	2608	2907	562	–
	IR Tracer	TFMJ	9.2	141	SINOXID	M-CMOPI	795	2608	2907	562	–
	SHATTER4K	SHATTER4K	8.4	130	SINOXID	M-CMOPI	686	2250	–	–	–

7.62×35 / .300 BLK	HV Ball SX	TFMJ	9.5	146	SINTOX	C.I.P.	580	1903	1598	600	0.427
	HV Styx Action SX	SHP	8.4	130	SINTOX	C.I.P.	645	2116	1747	600	0.241
	HV LF Styx Action SX	SHP	7.0	108	SINTOX	C.I.P.	745	2444	1943	600	0.247
	HV Frang SJ SX	Frangible	7.0	108	SINTOX	C.I.P.	645	2116	1456	600	0.24
	Subsonic SX	HPBT	14.3	220	SINTOX	C.I.P.	320	1050	732	229	0.417

.338 LM	Blank	–	–	–	SINOXID	–	–	–	–	–	–
---------	-------	---	---	---	---------	---	---	---	---	---	---

12.7×99	SR Solid SX	Solid	45.2	698	SINTOX	M-CMOPI	880	2887	17501	1143	–
	Solid Tracer SX	Solid	45.8	707	SINTOX	M-CMOPI	870	2854	17333	1143	–

SWISS P SNIPER

.223 Rem.	SWISS P Ball	TFMJ	3.6	55	SINTOX	C.I.P.	1010	3314	1836	600	0.337
	SWISS P Ball	TFMJ	4.1	63	SINOXID	C.I.P.	930	3051	1773	600	0.345
	SWISS P Ball SX	TFMJ	4.1	63	SINTOX	C.I.P.	930	3051	1773	600	0.345
	SWISS P Target	HPBT	4.5	69	SINOXID	C.I.P.	895	2936	1802	600	0.354
	SWISS P Target SX	HPBT	4.5	69	SINTOX	C.I.P.	895	2936	1802	600	0.354
	SWISS P Styx Action	JHP	4.5	69	SINOXID	C.I.P.	895	2936	1802	600	0.316
	SWISS P Styx Action SX	JHP	4.5	69	SINTOX	C.I.P.	895	2936	1802	600	0.316
	SWISS P Bonded Styx	BSP	3.6	55	SINOXID	C.I.P.	1000	3281	1800	600	0.171
	SWISS P AP	AP	4.1	63	SINOXID	Swiss Army	875	2870	1570	500	0.363
	SWISS P Final SR	JHP	3.4	52	SINTOX	C.I.P.	1040	3412	1407	600	0.182

6.5 CM	SWISS P Target SX	HPBT	8.4	130	SINTOX	C.I.P.	875	2871	3216	600	0.622
	SWISS P Target	HPBT	9.3	143	SINTOX	C.I.P.	–	–	–	600	–

.308 Win.	SWISS P Ball	FMJ	11.4	176	SINOXID	C.I.P.	790	2592	3557	650	0.523
	SWISS P Target	JHP	10.6	168	SINOXID	C.I.P.	805	2641	3532	650	0.489
	SWISS P Target	JHP	11.3	175	SINOXID	C.I.P.	790	2592	3526	650	0.547
	SWISS P Styx Action	HPBT	10.8	167	SINOXID	C.I.P.	810	2657	3543	650	0.363
	SWISS P AP	AP	12.7	196	SINOXID	C.I.P.	790	2592	3963	650	0.652
	SWISS P Tactical	SFNBT	10.6	163	SINOXID	C.I.P.	820	2690	3564	650	0.303
	SWISS P Subsonic	HPBT	13	200	SINOXID	C.I.P.	315	1033	645	450	0.364
	SWISS P Final SR	JHP	8.4	130	SINOXID	C.I.P.	895	2936	3360	650	0.24
	SWISS P Subsonic Final	JPP	13.0	200	SINOXID	C.I.P.	310	1017	625	450	0.159

.338 LM	SWISS P Ball	FMJ	16.3	251	SINOXID	C.I.P.	855	2805	5958	650	0.657
	SWISS P Target	JHP	16.2	250	SINOXID	C.I.P.	865	2838	6061	650	0.684
	SWISS P Target	HPBT	19.4	300	SINOXID	C.I.P.	810	2740	6364	650	0.831
	SWISS P Styx Action	JHP	16.0	247	SINOXID	C.I.P.	875	2871	6125	650	0.433
	SWISS P AP	AP	16.8	260	SINOXID	C.I.P.	847	2779	6026	650	0.677
	SWISS P API	API	17.1	263	SINOXID	C.I.P.	847	2779	6134	650	0.679
	SWISS P Tactical	SFNBT	16.2	250	SINOXID	C.I.P.	860	2822	5991	650	0.375
	SWISS P Subsonic	HPBT	16.2	250	SINOXID	C.I.P.	315	1033	804	–	0.678

.375	SWISS P Ball	FMJ	22.7	350	SINOXID	C.I.P.	860	2822	8394	762	0.801
	SWISS P AP	AP	22.3	343	SINOXID	C.I.P.	865	2838	8492	762	–

.50 Browning	SWISS P Training SX	JSC	41.7	644	SINTOX	M-CMOPI	890	2920	16515	1143	0.698
	SWISS P HC SX	JHC	47.5	733	SINTOX	M-CMOPI	880	2887	18392	1143	0.779
	SWISS P AP SX	AP	43.5	671	SINTOX	M-CMOPI	915	3002	18210	1143	–
	SWISS P API SX	API	44.5	687	SINTOX	M-CMOPI	915	3002	18628	1143	0.754

About Beretta Defense Technologies

Beretta Defense Technologies is the strategic alliance of Beretta Holding companies that supply services and products to Military and Law Enforcement operators around the world. These companies are globally renowned for decades of expertise and leadership in their respective fields, state of the art machinery and extensive R&D capabilities.

Building on our unparalleled expertise and long track record, we are also able to provide customised, integrated system solutions. In addition to ammunition, we can supply firearms, optical devices, lasers and suppressors.



For more information, please visit berettadefensetechnologies.com

Glossary

AP	Armour Piercing	M-CMOPI	Multi-Calibre Manual of Proof and Inspection Procedures , AEP-97
BC	Ballistic Coefficient G1 (ICAO)	(+P)	Higher Pressure
C.I.P.	Commission Internationale Permanente pour l'Epreuve des Armes à Feu Portatives	PZP	Pressed Zinc Powder
FMJ	Full Metal Jacket	PZPS	Pressed Zinc Powder Slug
FMJFP	Full Metal Jacket Flat Point	SFNBT	Solid Flat Nose Boat Tail
HA	High Accuracy	SHP	Solid Hollow Point
HC	Hard Core	SJ	Semi Jacket
HP	Hollow Point	SR	Short Range
HPBT	Hollow Point Boat Tail	SRS	Short Range Solid
HV	High Velocity	SX	SINTOX
JHC	Jacketed Hard Core	SXF	SINTOX-FORENSIS
JHP	Jacketed Hollow Point	TC	Tungsten Carbide Core
JPP	Jacketed Pressed Pellets	TFMJ	Totally encapsulated leadcore, Full Metall Jacket
JSC	Jacketed Soft Core	TR	Technische Richtlinie
LF	Lead free		

Symbols

Lead Free		Lead free projectile and primer
Linked		Linked
NATO Design Mark		Technical specifications according to NATO standards
Sinoxid		Sinoxid Standard primer
Sintox (SX)		Low-polluting primer
Sintox Forensis (SXF)		Sintox (SXF) Low-polluting primer with marking agent

For further information please ask for our factsheets. Errors and omissions excepted, subject to technical modifications.



WARNING

Hazard statements:
H204 Fire or projection hazard.

Handling, storage and use only by authorised and trained personnel.
All applicable safety, transport and storage regulations must be observed. Detailed safety information is provided in the Safety Data Sheet.



SwissP Defence AG
Uttigenstrasse 67
3600 Thun, Switzerland
Phone +41 33 854 44 00



swiss-p.com

**Exceptional.
Every Time.**

